

STRATATM
CERAMICS



600x1200mm

wonderous

innovations

Earthtech
collection

Color Body + GHR +
Punch Surface
600x1200mm

color

surface

Evoluta
collection

MILES
series

DG Matt Surface
600x1200mm



1. Miles Bianco Decor

2. Syria Olive



DG Matt Surface | 600x1200mm


Wine Shop



www.strataceramics.in



Miles Bianco Decor 01 A B



Miles Bianco R-8



Miles Bianco Decor 02 A B



Miles Bianco R-8

600x1200mm
DG Matt Surface

www.strataceramics.in



Miles Verde Decor A

B



Miles Verde R-8






www.strataceramics.in



Miles Bianco Decor 01 A B



Miles Bianco R-8



Miles Bianco Decor 02 A B



Miles Bianco R-8



DG Matt Surface | 600x1200mm


Bath Space



www.strataceramics.in



Miles Bianco Decor 01 A B



Miles Bianco R-8



Miles Bianco Decor 02 A B



Miles Bianco R-8



DG Matt Surface | 600x1200mm

Bath Space



Will captivate any space with
its subtle, yet elegant visuals.

www.strataceramics.in



**Syria Coral
Decor Endless**

R-4



**Syria Coral
& Beige**

R-8



**Syria Gold
Decor Endless**

R-4



Syria Gold

R-8

deco●●●rative

shine

Evoluta
collection

WILLS
series

DG Matt Surface
600x1200mm





*Will captivate any space with
its subtle, yet elegant visuals.*

www.strataceramics.in



**Syria Coral
Decor Endless**

R-4



**Syria Coral
& Beige**

R-8



**Syria Gold
Decor Endless**

R-4



Syria Gold

R-8

glorious

finishing

Evoluta
collection

WILTON
series

DG Matt Surface
600x1200mm






DG Matt Surface | 600x1200mm

Living Area



Unique patterning and detail those
are specific to each colour.

www.strataceramics.in



Wilton Grey
Decor Endless

R-3




Wilton Grey

R-8



Wilton Beige
Decor Endless

R-3



Wilton Beige

R-8



DG Matt Surface | 600x1200mm

Living Area




GHR Surface | 600x1200mm

Bath Space



Fabric Olive

R-12



Fabric Aqua

R-12



Fabric Beige

R-12



Fabric White


R-12

coo**constant**

glow

FABULA
collection

Tech Matt Surface
600x1200mm




1. White Panda

2. Marine Black




Tech Matt Surface | 600x1200mm

Bath Space




White Panda

R-12




Atlas Black

R-8



Marine Black

R-8



Nero Marquina

R-9

1. Jennifer Aqua


2. SYRIA SKY DECOR ENDLESS

3. Syria Silver



Tech Matt Surface | 600x1200mm


Bath Space



Jennifer Aqua


R-12

www.strataceramics.in



Jennifer Grey

R-12



Jennifer Olive

R-12

powerful

durability

MARMETTA
collection


DG Velvet Surface
600x1200mm





DG Velvet Surface | 600x1200mm

Bar & Café




Alboran Taupe Endless

R-12



Grey Marfil

R-12



Alboran Beige Endless

R-12




Beige Marfil

R-12




DG Velvet Surface | 600x1200mm

Living Area




Burberry Natural

R-12



Burberry Grey

R-12



Burberry Beige

R-12



Burberry Bianco

R-12



DG Velvet Surface | 600x1200mm

Living Area



Soft Cloud Grey

R-12



Bella Grey

R-12



Soft Cloud Bianco

R-12




Bella Crema

R-12



DG Velvet Surface | 600x1200mm

Living Area




Carrara Classico

R-12



Michelangelo Rust

R-9



Calacatta Michael

R-12



Roca Armado

R-9

technical specification

600x1200mm



CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
----------------	--	----------------------------	--------------------------	-------------

REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER

STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101

THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14

SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.