



PACK GLAMOUR

roduct Catalogue 2024

UNFOLD

SURFACES

THAT

ARE

BOUNDLESS

ACCELERATING SPACES WIT



BRING TO YOUR SPACE THE MULTITUDES OF MARVELS AND MASTERPIECES

Thickness

□ 12mm□ 20mm



1600x**3200**mm 63"x126"



A DISPLAY OF PAGEANTRY



TECHNICAL FEATURES



Highly U\ Resistan



Frost Resistance



Waterproo



Resistance to high Temperature



iahtness



Resistant t



Resistant to



Easy to Clean



Anti Pactoria



Resistant to Chemicals



RECORD SPLENDOUR



SLIM

Unravel new vistas for innovative applications

Elevate space with slabs carefully curated with slim size, merging form and function harmoniously.



DESIGN

Unravel designs that brings your vision to reality

Let luxury be redefined in your space with high-end, innovative & versatile designs.



EXCLUSIVITY

Spearheading remarkable transition of spaces

The unmatched features and exclusivity make these slabs stand apart from others.



LIGHTWEIGHT

Slabs that are built to lasts but are tremendously light weight

Live in an ambiance of comfort & class with slabs that are easy to handle & install.



SUPER SIZE

Unfold endless possibilities with slabs of super size


Make your space more refined with slabs with clean & dynamic aesthetics.



INNOVATION

Crafting brilliance through innovative concepts

Let every corner reflect ingenuity through marvelously crafted slabs.



ENVIRONMENTAL SUSTAINABILITY



15-30%


RECYCLED MATERIAL CONTAINED IN PRODUCTS




53 21000M³ WASTEWATER TREATED AND REUSED



RAW WASTE REUSED IN THE PRODUCTION PROCESS








APOLLO WHITE





APOLLO WHITE

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





CARRARA GOLD



CARRARA GOLD

CARRARA GOLD

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE






LINCOLN ORO



LINCOLNORO




LINCOLN ORO

SIZE: **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY

F2





CALACATTA BELISIMO



CALACATTA BELISIMO


F1 Bookmatch

CALACATTA BELISIMO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY





CALACUTTA ROYALE



CALMCUTTI ROYALE



CALACUTTA ROYALE

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





CALACATTA LUCCICOSO



CALACATTA

CALACATTA LUCCICOSO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY







CALACUTTA LIGHT



CALMCUTT

CALACUTTA LIGHT

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY





ATLANTIC BIANCO



F2 Bookmatch

ATLANTIC BIANCO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





STATUARIO NATURAL



STATUARIO NATURAL






STATUARIO NATURAL

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, MILAGRO, BRILLO, LEGACY





STATUARIO PLATINA



STATINA PLATINA

F1 Bookmatch



STATUARIO PLATINA

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY





ARISTON BIANCO



ARISTO BIANCO

F1 Bookmatch



ARISTON BIANCO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY







MICHEL BOOKMATCH



MICHEL BOOKMATCH

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





OYSTER BIANCO



OYSTER BIANCO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





PATAGONIA CRYSTALO



PATAGONI/ CRYSTADO

PATAGONIA CRYSTALO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY







PATAGONIA CLASSIC





PATAGONI CLASSIC

PATAGONIA CLASSIC

SIZE : **1600x3200mm |** 63"x126"

BODY: IVORY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





ROYAL PANDA BOOKMATCH



ROMAL PAND BOOKWATCH

ROYAL PANDA BOOKMATCH

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





AMEZONITE RUST



AMEZONITE RUST

AMEZONITE RUST

SIZE: **1600x3200mm |** 63"x126"

BODY: GREY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO







ILLUSION BRONZE




ILLUSION BRONZE

ILLUSION BRONZE

SIZE : **1600x3200mm |** 63"x126"

BODY: BROWN

SURFACES: STARLIGHT, SPECULAM, HONED, MILAGRO, BRILLO, LEGACY



F2



ICE BIANCO



JCE BIANCO


ICE BIANCO

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY







SCOT ONYX



SCOT ONYX

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





SAND ONYX



SAND ONYX

SIZE : **1600x3200mm |** 63"x126"

BODY: IVORY





LINUX ONYX



LINUX ONYX

SIZE : **1600x3200mm |** 63"x126"

BODY: IVORY



F2



ONICE BLUE



ONICE BLUE

ONICE BLUE

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE





ONICE MENTA



ONICE MENTA

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO



F2



OCEANO ONYX




OCEANO ONYX

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





AGATE BLU




AGATE BLU

SIZE : **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





ONICE SEA GREEN




ONICE SEA GREEN

ONICE SEA GREEN

SIZE : **1600x3200mm |** 63"x126"

BODY: IVORY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO



F2



VICTORIA GREY



VICTORIA GREY

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY



F2



ROMA BLUE




ROMA BLUE

ROMA BLUE

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY





SLATE PIETRA




SLAKE PIETRA

SLATE PIETRA

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY

SURFACES: STARLIGHT, SPECULUM, HONED, MILAGRO, BRILLO, LEGACY





SONATA GREY




SONATA

SONATA GREY

SIZE: **1600x3200mm |** 63"x126"

BODY: GREY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY, LEATHER







AGATE CHARCOAL



AGANE CHARCOAL

AGATE CHARCOAL

SIZE : **1600x3200mm |** 63"x126"


BODY: BLACK

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





BLACK GOLD








BLACK GOLD

SIZE : **1600x3200mm |** 63"x126"


BODY: BLACK

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY





BLACK PANTHER



BLAKK PANTHER

BLACK PANTHER

SIZE : **1600x3200mm |** 63"x126"

BODY: BLACK

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY





LAURENT GOLD



LAURENT

LAURENT GOLD

SIZE : **1600x3200mm |** 63"x126"

BODY: BLACK

SURFACES: STARLIGHT, SPECULUM, HONED, MILAGRO, BRILLO, LEGACY






MACABUS GOLD



MACABUS GOLD

SIZE : **1600x3200mm |** 63"x126"

BODY: BLACK





MARQUS AQUA



MARQUS AQUA

MARQUS AQUA

SIZE : **1600x3200mm |** 63"x126"

BODY: BLACK

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





VERDE ALPI



VERDE

VERDE ALPI

SIZE : **1600x3200mm |** 63"x126"

BODY: BLACK

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO





TRAVERTINO SAND



TRAWERTING SAND

TRAVERTINO SAND

SIZE : **1600x3200mm |** 63"x126"

BODY: IVORY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY, LEATHER



F2



TRAVERTINO ASH



TRAWERTING ASH

TRAVERTINO ASH

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY

SURFACES: STARLIGHT, SPECULUM, HONED, BRILLO, LEGACY, LEATHER



F2



PLUTO SMOKE



PLUTO SMOKE

SIZE: **1600x3200mm |** 63"x126"

BODY: WHITE

SURFACES: LEGACY, LEATHER





PLUTO GRIS




PLUTO GRIS

PLUTO GRIS

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY





CEMENT GREY



CEMENT

CEMENT GREY

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY

SURFACE: LEGACY





MARRAZI SAND



MARRAZI SAND

MARRAZI SAND

SIZE : **1600x3200mm |** 63"x126"

BODY: IVORY



F2



MARRAZI GREY



MARRAZI GREY

MARRAZI GREY

SIZE : **1600x3200mm |** 63"x126"

BODY: GREY

SURFACES: LEGACY, LEATHER





DAZZLE BROWN



DAZZLE BROWN

DAZZLE BROWN

SIZE : **1600x3200mm |** 63"x126"

BODY: BROWN

SURFACES: LEGACY, LEATHER





DAZZLE NERO



DAZZLE NERO

DAZZLE NERO

SIZE : **1600x3200mm |** 63"x126"

BODY: BLACK

SURFACES: **LEGACY**, **LEATHER**





TEAK ALMOND



TEAK

TEAK ALMOND

SIZE: **1600x3200mm |** 63"x126"

BODY: IVORY

SURFACES: LEGACY



F2



WOODLAND REDICE



WOODLAND REDICE

WOODLAND REDICE

SIZE : **1600x3200mm |** 63"x126"

BODY: BROWN

SURFACES: LEGACY







WOODLAND WALLNUT



WOODLAND WALLNUT

WOODLAND WALLNUT

SIZE : **1600x3200mm |** 63"x126"


BODY: BROWN

SURFACE: LEGACY










Full Body



Superior quality raw materials like kaolin, clay, feldspar, silica, and colouring inks are imported from Europe and other parts of the world to manufacture these slabs without compromising on its breaking strength, water absorption, dust, termite and chemical resistance.

Our Slabs are exceptionally hard, resist thermal shock better than any material available today, are virtually nonporous and are a green product. Installation is quicker and easier because of the dimensions of the product. Flooring, wall cladding, kitchen counter tops, vanity tops, steps and risers, and bath surrounds are all possible.

Technical specification

CHARACTERISTIC	TEST METHOD	MEAN VALUE	STD. AS PER ISO13006:2012/ EN14411 Gr.Bla	STD. AS PER IS15622:2017 Gr.Bla	
Regulatory Properties					
Deviation in length and width	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.10 %	
Deviation in thickness	ISO 10545-2 & IS 13630-1	± 4.00 %	± 5.00 %	± 5.0 %	
Straightness in side	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.10 %	
Rectangularity	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.60 %	± 0.10%	
Surface flatness Central Curvature	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.50 %	
Surface flatness Edge Curvature	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.50 %	
Surface flatness Warpage	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.50 %	
Surface Quality	ISO 10545-2 & IS 13630-1	> 95% defects free	> 95% defects free	> 95% defects free	
Small Color Difference	ISO 10545-16	No Change	Unaltered	N.A.	
Glossiness (With Nano Polished)	Gloss Meter 60°	> 90° **	As per Mfg.	As per Mfg.	
Glossiness (With Nario Folished)	Gloss Meter 60°	7° < Gloss < 14°**	As per Mfg.	As per Mrg. As per Mfg.	
Glossiness (Satin Finished)	Gloss Meter 60°	15° < Gloss < 25°**	As per Mfg.	As per Mfg.	
diossilless (Sutil Fillistled)	Gloss Meter 60	13 4 01033 4 20	As per Mig.	As per Mig.	
Structural Properties					
Water absorption	ISO 10545-2 & IS 13630-3	≤ 0.05 %	≤ 0.50 %	≤ 0.80 %	
Bulk density	DIN51082 & IS 13630-3	> 2.28 gm/cc	> 2.00 g/cc	Min. 2.20 g/cc	
Massive Mechanical Properties					
Modulus of rupture	ISO 10545-4 & IS 13630-6	Min. 37.0 N/mm²	Min. 35.0 N/mm²	Min. 35.0 N/mm²	
Breaking strength thickness <7.5	ISO 10545-4 & IS 13630-6	Min. 1000.0 N	Min. 700.0 N	Min. 700.0 N	
Breaking strength thickness ≥7.5	ISO 10545-4 & IS 13630-6	Min. 1600.0 N	Min. 1300.0 N	Min. 1100.0 N	
Surface Mechanical Properties					
MOH'S hardness	EN 101 & IS 13630-13	Min. 4***	Min. 4	Min. 5	
Surface abrasion resistance-Glossy #	ISO 10545-7 & IS 13630-11	Min. Class 2	As per Mfg.	Min. Class II	
Surface abrasion resistance-Matt #	ISO 10545-7 & IS 13630-11	Min. Class 3	As per Mfg.	Min. Class II	
Thermal Hydrometric Properties					
Moisture expansion	ISO 10545-10 & IS 13630-3	NIL	Max. 0.06	Max. 0.02	
Thermal expansion(COE) at 100°C	ISO 10545-8 & IS 13630-4	Max. 6.0 x 10-6	As per Mfg.	Max. 7.0 x 10-6	
Thermal shock resistance	ISO 10545-9 & IS 13630-5	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	
Crazing Resistance at 7.5 Bar	ISO10545-11 & IS 13630-9	Min. 6 Cycle	As per Mfg.	Min. 4 Cycle	
Impact resistance(COR)	ISO 10545-5 & IS 13630-14	Min. 0.55	As per Mfg.	Min. 0.55	
Frost resistance	ISO10545-12 & IS 13630-10	Frost Proof	As per Mfg.	As per Mfg.	
Chemical Properties					
**Resistance to Staining Glazed	ISO 10545-14 & IS 13630-8	Min. Class 4 / Min. Class I	Min. Class 3	Min. Class I	
**Resistance to Household Chem-	ISO 10545-13 & IS 13630-8	Min. Class GA / Min. Class AA	Min. Class 3	Min. Class I	
icals & Swimming Pool Salts Glazed	130 10040-10 & 13 13030-6	Pilli. Oldss GA / Milli. Oldss AA	Milli. Oldss GB	MIII. OIUSS AA	
Resistance to Low / High	ISO 10545-13 & IS 13630-8	Min. Class GLB**/	As per Mfg.	As per Mfg.	
Concentrate Acid and Alkalis Glazed	130 10343 13 4 13 13030 8	Min. Class A****	As per ring.	As per Mig.	
Safety Properties					
Skid resistance(DCOF-DRY)	ISO 10545-17	> 0.40	As per Mfg.	As per Mfg.	
Slip resistance(DCOF)(R value)##	ISO 10545-17	As per surface	As per Mrg. As per Mfg.	As per Mrg. As per Mfg.	
Determination of Lead & Cadmium	ISO 10545-17	Dose not yield Pb & Cd	As per Mrg. As per Mfg.	N.A.	
Release for Glazed Tiles	130 10949-19	Dose flot yield PD & Cd	As per Milg.	IN.A.	
Fire Resistance	N.A.	Fire Proof	As per Mfg.	As per Mfg.	
ino Resistance	13.0	1110 11001	As por ring.	As per Mily.	

[#] Glaze tiles Intended for use on floor

Pallet & container packing

Size	Thickness	sq. mtr / Slab	Weight / Slab	Pallet Type	Slabs / Pallet	Weight / Pallet	Pallet / Container	Slabs / Container	sq. mtr / Container	Weight / Container	Size of Container
3200x1600mm 3200x1600mm	12mm 12mm	5.12 5.12	145.0 kg 145.0 kg	A-Frame Crate	20 slabs 20 slabs	3010kg 3050kg	9 7	180 140	921.60 716.80	27090kg 21350kg	40 ft 20 ft
3200x1600mm	20mm	5.12	238.0 kg	A-Frame	12 slabs	2966kg	9	108	552.96	26694kg	40 ft

^{##} As per customer requirement

** Glossiness 90% with nano technology

*** Without nano technology (Unpolished Vitrified tiles)

***Except Hydrofluoric Acid & it's compound